

TECHNICAL RIDER VENUE DE GROTE POST 2022



LOCATION

Hendrik Serruyslaan 18A
8400 Oostende

CONTACT TECHNICAL CREW

Toon Soete	Technical coördination and planning	+32499 26 82 81	Toon.soete@degrotepost.be
Jelle Van Meerbergen	Technical External Events	+32478 61 96 74	Jelle.vanmeerbergen@degrotepost.be
Klaas Neyt	Technician External Events	+32486 75 61 52	Klaas.neyt@degrotepost.be
Bartold Uyttersprot	Technician	+32477 39 96 90	Bart.uyttersprot@degrotepost.be
Matisse De Groote	Technician	+32478 01 13 32	Matisse.de.groote@degrotepost.be

CONTACT PRODUCTION

Marie Lamon	+32473 28 86 33	Marie.lamon@degrotepost.be
Leni Pyra	+32485 50 03 17	Leni.pyra@degrotepost.be


CONTACT VENUE RENTAL

Allison Moyaert	Venue Rental	+32499 40 70 64	Allison.moyaert@degrotepost.be
Pieter François	Venue Rental	+32484 95 24 59	Pieter.francois@degrotepost.be

LAODING DOCK + ELEVATOR

- Load in and load out

Poststraat 8400 Oostende
<http://goo.gl/maps/pywLX>



Dimensions elevator: H 2,8m x W 2,5m x L 6,1m

AUDITORIUM

Seats with orchestra pit: 431

Seats without orchestra pit: 347

Length: 20,7m

Width: 17,5m

Height: 3m to 10,7m

FOH

In the back of the auditorium (no balcony) L 5m x W 1,8m x H 3m

STAGE

Portal: W 14m x H 7,4m

Depth from backdrop without proscenium: 9m

Depth from backdrop with proscenium A: 9.95m

Depth from backdrop with proscenium AB: 10.9m

Depth from backdrop with proscenium ABC: 11.85m

Height: 14m

Legs: H8m x W3.38m

Borders: H4m x W19m

Valence: H6m x W19m

Resilient floor

Marley dance floor: Black, stage: W18m x D9m + proscenium W14m x D2,85m

PROSCENIUM

Contains of 3 parts

Total depth 3x95cm=2,85m

Hydraulic

RIGGING

TREKWERK TNM

- Stage

26 automatic controlled Bars. L 19m

Lifting height 14m

Lifting capacity 300kg

Max Speed 0,8m/s

- Above proscenium

10 automatic controlled Bars. L 16m

Lifting height 9,6m

Lifting capacity 300kg

Max Speed 0,8m/s

- Rigging Material

VMB wind-up 7,80m	4
Manfroto wind-up 6m	8
Manfroto T-Bar	8
Reutlinger	8
sofsteels	14
Steels 3m	6
Steels 4m	8
Doughty clamp	15
Shackle	50

- Mobile stage elements

Praktikabel 2x1m	Adjustable level	4
Praktikabel 2x1m	Adjustable legs	1

POWER

3 phase electric power 400V

Connections: Jardin: 2x125 Amp, 2x63 Amp, 3x32 Amp

Sound Jardin: 1x63 Amp, 1x32 Amp, 1x16 Amp

Cour: 1x125 Amp, 1x 63 Amp

LIGHT

- 240ch ADB Dimmer/switch 3KW
- 72 Floor connections
- 24 connections in bridge for front lighting
- Controllers: Chamsys mq60 + wing
- Fixtures:

ADB	Profile	2 kw	12
ADB	Profile	Shortnose 1,2 kw	12
ADB	profile	Longnose 1,2 kw	12
ADB	PC	2 kw	12
ADB	PC	1,2 kw	32
ADB	Fresnell	1,2kw	12
ADB	ACP	1kw	8
ADB	ALC 4	led	6
PAR Thomas	PAR	1kw	30
Robe	Actor 6	Ledwash	10
Robe	MMX	spot	8

SOUND

- FOH RENKUS HEINZ VARIA

Flown system	2xVA101-7/6-52R	1X VA101-15/69-52R	1xVA101-22/9-52R
Stacked system	1xVA101-22/9-52R	2xVA15S-5R	
Center flown	1xVA101-22/69-52R	1x101-22/912-52R	
Front Fill	4xTRX61		

- Mixers

D-live	C2500	6in/6out (local), 32in/16out (rack)
Midas	Venice	24 inputs 8 outputs

- Monitors

Martin	LE 1200	8
--------	---------	---

- Amps

Powersoft	M30D DSP eth 2x 1500w/4ohm	4
-----------	----------------------------	---

- Communication

ASL	2CH headstation PRO	1
ASL	Single beltpack PRO	4
ASL	Dual Beltpack PRO	2

- Microphones

Shure	Sm58	6
Shure	Beta 58	5
Audio Technica	AE 3000	2
Audio Technica	AE5400	1
DPA	Sc4098	1
DPA	4099 LO	2
DPA	4099 HI	1
Neumann	Km184	2
Shertler	pianoset	1
Shure	Sm 57	4
Shure	Beta 57	2
Shure	Beta 91	1
Shure	Beta 52	1
AKG	D112	1

EV	RE20	1
SONY WL	B58	2
DPA WL headset	d-fine	4

- DI

BSS AR-133	3
Radial J48	8
Radial Pro DI	4
Radial JPC	2
Radial twin iso	1

- Stands

K&M long boom	16
K&M short boom	7
K&m Bassdrum stand	1
K&M Table stand	4
Straight mic-stand, round base	1

VIDEO

beamer	Panasonic PT-EX12K(standard lens)	(XGA, 4000:1, 13000 ansi lumen)	1
repeater	HDMI (cat 5)		1
	VGA (cat 5)		1
convertor	VGA to HDMI		1
	MINI DISPLAY PORT to HDMI/VGA/DVI		2
	MINI DISPLAYPORT to VGA		1
	BM HDMI-SDI/SDI-HMI		2
screen	Projection screen 14m x 7m	27M from beamer	1
Mixer	Roland V-02HD		1
	Black Magic	ATEM Mini Pro ISO	1
Pointer	Perfect cue Micro		1

SMOKE

Hazer	Swefog XEON II intellahazer	1
Antari	Z-3000II	1

