


TECHNICAL RIDER VENUE DE KLEINE POST 2021





LOCATION

Hendrik Serruyslaan 18A
8400 Oostende

CONTACT TECHNICAL CREW

Toon Soete	Technical coördination and planning	+32499 26 82 81	Toon.soete@degrotopost.be
Jelle Van Meerbergen	Technical External Events	+32478 61 96 74	Jelle.vanmeerbergen@degrotopost.be
Klaas Neyt	Technician External Events	+32486 75 61 52	Klaas.neyt@degrotopost.be
Bartold Uyttersprot	Technician	+32477 39 96 90	Bart.uyttersprot@degrotopost.be
Matisse De Groote	Technician	+32478 01 13 32	Matisse.de.groote@degrotopost.be

CONTACT PRODUCTION

Marie Lamon	+32473 28 86 33	Marie.lamon@degrotopost.be
Leni Pyra	+32485 50 03 17	Leni.pyra@degrotopost.be


CONTACT VENUE RENTAL

Allison Moyaert	Venue Rental	+32499 40 70 64	Allison.moyaert@degrotopost.be
Pieter François	Venue Rental	+32484 95 24 59	Pieter.francois@degrotopost.be

LOADING DOCK + ELEVATOR

- Load in and load out

Poststraat 8400 Oostende
<http://goo.gl/maps/pywLX>



Dimensions elevator: H 2,8m x W 2,5m x L 6,1m

DIMENSIONS VENUE:

seats: 183

width: 11,65m wall to wall

11m black box

Height: 6,16 m
 Depth: 11.3m (with seating)
 10.35m to backdrop
 Depth: 24m (without seating)

FOH


In the back of the auditorium (no balcony) L 5m x D 1,8m x H 4m


STAGE

resilient floor with 3 movable Hydraulic stage elements
 Length per element:3,7m

RIGGING

Fixed Grid containing 6 bridges with Tubes to rig light.





Reutlinger	2
sofsteels	14
Steels 3m	6
Steels 4m	8
Doughty clamb	15
Shackle	50
Electric motor hoist	4
Truss H30V	23m

- Mobile stage elements

Rolling risers 2x1m	40cm	4
risers 2X1m	80 cm	4

POWER

3 phase electric power 400V

Connections: 1x125 Amp (cour back), 1x63 Amp (cour back), 1x32 Amp (Audio – cour back), 1x32 Amp (grid front – jardin)

LIGHT

- 127 ch ADB Dimmer/switch 3KW
- 111 connections above the stage
- 16 floor connections
- Controllers: Chamsys mq80 + wing
- Fixtures:

ADB	Profile	Shortnose 1,2 kw	12
ADB	profile	Longnose 1,2 kw	12
ADB	PC	1,2 kw	30
ADB	Fresnell	1,2kw	16
ADB	ACP	1kw	0
PAR Thomas	PAR	1kw	30
Robe	Actor 6	Ledwash	8

SOUND

- FOH RENKUS HEINZ VARIA modified for Rock and roll concerts

Flown system	2x 3xVA101-22/6-52R	Powersoft amp+harmonia
sub	4x18 inch	Powersoft amp + harmonia

- Mixers

D-live	c-1500	6in/6out (local), 32in/16out (rack)
--------	--------	--

- Monitors

Martin	LE 1200	8
--------	---------	---

- Amps monitors

Powersoft	M30D DSP eth 2x 1500w/4ohm	4
-----------	----------------------------	---

- Communication

ASL	2CH headstation PRO	1
ASL	Single beltpack PRO	4
ASL	Dual Beltpack PRO	2

- Microphones

AKG	C414xIII	2
Audio Technica	AE5100	2
Audio Technia	AE5400	1
AUDIX	D2	2
	D4	1
	D6	1
	I5	1
Beyer dynamic	M201	1
DPA	4099	2
Neumann	Km184	2
Senheisser	E604	4
Shure	Sm58	6
Shure	B58	4
Shure	Sm57	4
Shure	B57	2

Radial J48	8
Radial Pro DI	4
Radial JPC	2
Radial twin iso	1

- Stands

K&M long boom	16
K&M short boom	7
K&m Bassdrum stand	1
K&M Table stand	4

VIDEO

Beamer	Optoma	EH515T	1
repeater	HDMI (cat 5)		1
	VGA (cat 5)		1
convertor	VGA to HDMI		1
	MINI DISPLAY PORT to HDMI/VGA/DVI		2
	MINI DISPLAYPORT to VGA		1

	BM HDMI-SDI/SDI-HMI		1
screen	Projection screen	12x6	1
Mixer	Roland V-02HD		1
pointer	PerfectCue Micro		1

SMOKE

Hazer	Swefog XEON II intellahazer	1
Antari	Z-1500II	1